



### CÓDIGOS DE LARGURA

		16 mm	25 mm	32 mm	32 mm	50 mm		
Tipo	Form No.	Comprimento l (mm)	Passo t (mm)	Módulo m	No Dente z	k (mm)	hz (mm)	e (mm)
V 100/3 F	K4730-F	100,98	3,060	0,974	33	1,20	0,80	0,70
V 149/4 F	K5870-F	149,49	4,983	1,586	30	1,80	1,20	1,00
V 150/5 F	K3950-F	150,10	5,176	1,648	29	1,60	1,50	1,30
V 158/4 F	k4186-f	158,27	4,522	1,439	35	1,50	1,00	1,20
V 161/5 F	K3961-F	160,68	5,951	1,894	27	2,00	1,50	1,50
V 165/3 F	K3978-F	164,73	3,581	1,140	46	1,00	1,00	1,30
V 167/4 F	K3628-F	167,31	4,522	1,439	37	1,50	1,00	1,20
V 170/4 FA	K4503-FA	169,44	4,459	1,419	38	1,50	1,00	1,00
V 172/4 F	K3880-F	172,24	4,921	1,566	35	1,60	1,50	1,20
V 174/3 F	K5385-F	174,90	3,300	1,050	53	1,00	1,00	1,20
V 177/5 F XL	K5841-F	177,80	5,080	1,617	35	1,20	1,20	0,85
V 190/4 F	K6238-F	192,02	4,572	1,455	42	1,30	1,20	1,40
V 203/5 F XL	K5369-F	203,20	5,080	1,617	40	1,37	1,27	0,80
V 206/6 FK	K4662-FK	206,14	6,063	1,930	34	1,80	1,20	1,00
V 213/7 F	K3969-F	212,46	7,869	2,505	27	2,50	1,40	1,40
V 225/3 F	K6175-F	225,00	3,000	0,955	75	1,20	0,80	0,70
V 226/5 F	K4187-F	226,10	5,950	1,894	38	2,00	1,50	1,50
V 228/6 F	K5290-F	228,60	6,350	2,021	36	2,00	1,50	0,80
V 228/6 FA	K6222-FA	228,60	6,350	2,021	36	2,00	1,50	1,05
V 229/6 F	K3595-F	229,02	6,736	2,144	34	2,00	1,20	1,20
V 233/5 F XL	K5674-F	233,68	5,080	1,617	46	1,37	1,22	1,28
V 238/5 F	K3964-F	238,04	5,951	1,894	40	2,00	1,50	1,10
V 242/5 F	K4088-F	242,40	5,050	1,607	48	1,60	1,50	1,20
V 248/7 F	K3319-F	247,69	7,285	2,319	34	2,50	1,40	1,50
V 252/6 K	K3264-K	252,53	6,475	2,061	39	2,20	1,20	1,80
V 255/6 FK	K4891-FK	255,25	6,717	2,138	38	2,50	1,80	1,00
V 261/7 K	K3251-K	261,59	7,927	2,523	33	2,50	1,40	1,00
V 265/8 F	K3436-F	264,63	8,019	2,553	33	2,50	1,40	1,50
V 268/7 F	K3944-F	268,55	7,258	2,310	37	2,50	1,80	1,50
V 277/3 F	K5386-F	277,20	3,300	1,050	84	1,00	1,00	1,20
V 279/6 F	K6250-F	279,40	6,350	2,021	44	2,00	1,50	1,05
V 284/5 F XL	K5545-F	284,48	5,080	1,617	56	1,80	1,20	0,70
V 285/6 F	K5401-F	285,75	6,350	2,021	45	1,80	1,20	1,00
V 290/3 F	K5388-F	290,40	3,300	1,050	88	1,00	1,00	1,20
V 291/7 F	K3584-F	290,24	7,256	2,310	40	2,50	1,40	1,60
V 295/6 F	K3804-F	294,50	6,266	1,995	47	1,60	1,50	1,50
V 295/6 FA	K4469-FA	294,83	6,273	1,997	47	1,60	1,50	1,50
V 304/5 F XL	K5368-F	304,80	5,080	1,617	60	1,37	1,27	0,60
V 307/5 F	K4031-F	306,92	5,202	1,656	59	1,60	1,50	1,30
V 309/7 FK	K4610-FK	310,72	7,226	2,300	43	2,20	1,60	1,30
V 310/5 F	K3888-F	309,56	5,953	1,895	52	1,80	1,50	1,50

Tipo	Form No.	Comprimento l (mm)	Passo t (mm)	Módulo m	Nº Dente z	k (mm)	h <sub>z</sub> (mm)	e (mm)
V 316/3 F	K5406	316,80	3,300	1,050	96	1,00	1,00	1,20
V 323/3 F	K5098	323,40	3,300	1,050	98	1,00	1,00	1,20
V 337/7 F	K3498-F	337,04	7,660	2,438	44	2,50	1,60	1,45
V 341/7 F	K3673-F	340,30	7,734	2,462	44	2,50	2,00	1,40
V 350/5 FK	K4909-FK	350,31	5,077	1,616	69	1,80	1,20	1,00
V 351/2 F	K5999-F	351,79	2,645	0,842	133	1,50	1,00	0,60
V 354/6 F	K3653-F	353,82	5,997	1,909	59	2,20	1,40	1,50
V 356/7 F	K3722-F	355,79	7,261	2,311	49	2,50	1,80	1,40
V 357/7 F	K3701-F	356,69	7,431	2,365	48	2,50	2,00	1,90
V 360/6 F	K3805-F	360,57	6,934	2,207	52	2,50	1,80	1,40
V 361/6 F	K3776-F	360,31	6,929	2,206	52	2,50	2,00	2,00
V 364/7 F	K3282-K	364,46	7,923	2,522	46	2,50	1,40	1,80
V 367/7 FK	K4463-FK	367,12	7,060	2,247	52	2,50	1,40	1,40
V 367/7 F	K3791-F	368,82	7,527	2,396	49	2,50	2,00	1,50
V 368/7 F	K4079-F	368,50	7,370	2,346	50	2,50	1,80	1,50
V 368/7 F	K3591-F	368,82	7,527	2,396	49	2,50	1,60	1,30
V 370/6 F	K3803-F	369,81	6,268	1,995	59	1,60	1,50	1,50
V 375/6 FK	K4746-FK	375,52	6,588	2,097	57	2,20	1,60	1,20
V 381/5 F XL	K6026-F	381,00	5,080	1,617	75	1,35	1,25	1,05
V 381/5 FK	K4773-FK	380,78	5,077	1,616	75	1,80	1,50	1,00
V 385/4 FK	K4759-FK	385,24	4,939	1,572	78	1,80	1,20	1,00
V 386/6 F	K4704-F	386,40	6,662	2,121	58	2,20	1,80	1,40
V 388/7 K	K3035-K	388,85	7,070	2,250	55	2,03	1,40	1,20
V 392/7 F	K3783-F	391,77	7,255	2,309	54	2,50	1,80	1,40
V 395/6 F	K5198-F	395,10	6,585	2,096	60	2,20	1,80	1,20
V 402/7 K	K3541-K	405,13	7,791	2,480	52	2,50	1,40	1,40
V 406/5 F XL	K6064-F	406,40	5,080	1,617	80	1,37	1,27	1,30
V 409/4 FK	K4834-FK	410,00	5,000	1,592	82	1,80	1,20	1,00
V 411/5 F	K3887-F	410,96	5,596	1,896	69	1,80	1,50	1,50
V 419/7 F	K3745-F	418,72	7,346	2,338	57	2,50	2,20	2,00
V 420/6 F	K3802-F	420,09	6,270	1,996	67	1,60	1,50	1,50
V 423/7 F	K3728-F	422,99	7,981	2,540	53	2,50	2,00	2,00
V 431/6 F	K3242-F	430,15	6,145	1,956	70	2,00	1,40	1,50
V 431/6 K	K3242-K	431,06	6,158	1,960	70	2,00	1,40	1,60
V 432/7 F	K3886-F	431,93	7,447	2,370	58	2,50	2,20	2,00
V 432/7 K	K3083-K	432,10	7,450	2,371	58	2,50	1,40	1,40
V 432/7 F	K3083-F	432,10	7,450	2,371	58	2,50	1,40	1,40
V 437/9 FK	K4720-FK	437,80	9,950	3,167	44	3,50	2,50	1,60
V 438/9 F L	K5095-F	438,15	9,525	3,032	46	3,20	1,80	1,20
V 440/5 F	K3998-F	439,82	5,712	1,818	77	1,60	1,50	1,20
V 443/7 K	K3594-K	442,98	7,383	2,350	60	2,50	1,40	1,40
V 444/7 F	K4276-F	444,18	7,403	2,356	60	2,50	1,80	1,40
V 446/7 F	K3743-F	445,80	7,430	2,365	60	2,50	1,80	1,50
V 448/7 F	K3903-F	447,56	7,852	2,499	57	2,50	1,40	1,50
V 449/7 K	K2947-K	449,16	7,880	2,508	57	2,50	1,40	1,80
V 449/9 K	K3509-K	449,18	9,358	2,979	48	3,20	2,20	1,90
V 450/7 F	K3034-F	449,47	7,023	2,235	64	2,50	1,40	1,20
V 457/6 K	K3406-K	457,34	6,352	2,022	72	2,20	1,20	1,60
V 459/9 F	K3690-F	459,10	9,182	2,923	50	3,00	2,50	1,70
V 463/7 F	K3794-F	463,94	7,249	2,307	64	2,50	1,80	1,50
V 468/7 K	K3315-K	468,66	7,559	2,406	62	2,50	1,60	2,00
V 473/7 K	K3086-K	473,46	7,284	2,319	65	2,50	1,40	1,60
V 474/7 F	K3785-F	473,22	7,394	2,354	64	2,50	1,80	1,50

Tipo	Form No.	Comprimento l (mm)	Passo t (mm)	Módulo m	No Dente z	k (mm)	h <sub>z</sub> (mm)	e (mm)
V 480/7 K	K3471-K	480,69	7,753	2,468	62	2,50	1,40	1,60
V 491/7 F	K3666-F	490,73	7,915	2,519	62	2,00	1,40	1,10
V 508/5 F XL	K6011-F	508,00	5,080	1,617	100	1,32	1,22	1,32
V 510/10 F	K6142-F	510,00	10,000	3,183	51	3,50	2,50	1,60
V 511/9 F	K3347-F	511,43	9,471	3,015	54	3,00	2,50	2,00
V 513/8 K	K3223-K	513,88	8,860	2,820	58	2,80	1,60	0,00
V 514/9 K	K3411-K	514,25	9,183	2,923	56	3,20	2,20	2,00
V 515/7 F	K3826-F	515,24	7,577	2,412	68	2,50	1,80	1,60
V 515/9 FK	K4741-FK	515,86	9,553	3,041	54	3,50	2,50	1,40
V 516/7 F	K3680-F	516,56	7,947	2,530	65	2,50	1,40	1,30
V 522/6 F	K4084-F	522,49	6,295	2,004	83	2,50	1,40	1,40
V 532/9 F	K3638-F	532,50	9,509	3,027	56	3,20	2,20	2,00
V 537/7 F	K3088-F	537,88	7,910	2,518	68	2,50	1,40	1,40
V 546/7 F	K3830-F	546,42	7,806	2,485	70	2,50	1,80	1,50
V 548/2 F	K5661-F	548,64	2,540	0,809	216	1,00	0,70	0,60
V 552/6 F	K3703-F	552,46	6,278	1,998	88	2,20	1,20	1,20
V 555/7 FK	K4492-FK	555,43	7,823	2,490	71	2,50	1,80	1,30
V 563/9 F	K3897-F	563,76	9,720	3,094	58	3,20	1,80	2,00
V 567/5 F	K3974-F	567,25	5,971	1,901	95	2,00	1,50	1,50
V 570/9 F	K3840-F	570,71	9,205	2,930	62	3,00	2,50	2,00
V 571/9 FL	K6114-F	571,50	9,525	3,032	60	3,20	1,91	1,69
V 574/7 F	K3890-F	574,64	7,561	2,407	76	2,50	2,20	2,00
V 583/9 F	K3723-F	582,54	9,709	3,090	60	3,00	2,50	2,00
V 592/7 F	K3754-F	592,20	7,896	2,513	75	2,50	2,20	2,00
V 609/5 FXL	K5546-F	609,60	5,080	1,617	120	1,36	1,20	0,70
V 609/4 F	K6037-F	609,55	4,233	1,347	144	1,80	1,20	1,00
V 620/6 FK	K3142-FK	620,24	6,969	2,218	89	2,50	1,40	1,30
V 620/6 F	K3142-F	620,24	6,969	2,218	89	2,50	1,40	1,50
V 623/9 F	K3206-K	623,62	9,744	3,102	64	3,20	1,60	1,50
V 626/6 F	K6255-F	626,50	6,265	1,994	100	1,60	1,50	1,50
V 628/6 F	K3782-F	628,30	6,283	2,000	100	2,20	1,80	1,80
V 629/9 F	K4593-F	629,50	9,992	3,181	63	3,50	2,50	2,00
V 635/5 FXL	K5394-F	635,00	5,080	1,617	125	1,32	1,20	0,60
V 651/7 F	K3297-F	651,51	7,239	2,304	90	2,50	1,40	1,60
V 685/5 F	K5605-F	687,15	5,090	1,620	135	1,36	1,20	0,70
V 686/9 F	K3971-F	686,74	9,538	3,036	72	3,20	1,80	1,50
V 698/9 FK	K4585-FK	699,02	9,986	3,179	70	3,50	2,50	1,60
V 728/15 K	K5667-K	728,50	15,500	4,934	47	4,70	2,30	1,60
V 758/8 FA	K3708-FA	757,21	8,508	2,708	89	3,00	2,50	2,40
V 760/8 F	K5665-F	759,88	8,538	2,718	89	3,00	2,50	1,80
V 779/2 F	K5680-F	779,78	2,540	0,809	307	1,00	0,70	0,60
V 818/6 F	K3853-F	818,33	6,935	2,207	118	2,50	1,80	1,60
V 829/8 F	K3831-F	828,48	8,630	2,747	96	3,00	2,50	2,00
V 850/4 F	K5782-F	850,75	4,032	1,283	211	1,30	1,20	1,90
V 853/5 F	K3770-F	853,14	5,966	1,899	143	1,60	1,50	1,30
V 859/6 F	K5328-F	859,40	6,095	1,940	141	2,44	0,92	0,90
V 862/13 F	K3764-F	861,38	13,252	4,218	65	3,20	2,80	2,50
V 870/9 F	K3867-F	868,95	9,655	3,073	90	3,00	2,50	2,00
V 889/5 FXL	K5601-F	889,00	5,080	1,617	175	1,80	1,20	1,00
V 901/9 F	K3777-F	900,13	9,185	2,924	98	3,00	2,50	2,50
V 910/10 F	K6155-F	910,00	10,000	3,183	91	3,50	2,50	1,60
V 912/7 F	K3661-F	911,71	7,473	2,379	122	2,50	1,60	1,50
V 914/12 FH	K5692-F	914,40	12,700	4,043	72	4,30	2,20	1,85

Tipo	Form No.	Comprimento l (mm)	Passo t (mm)	Módulo m	Nº Dente z	k (mm)	hz (mm)	e (mm)
V 939/9 F	K3878-F	939,13	9,583	3,050	98	3,20	1,80	1,50
V 969/6 F	K5063-F	968,95	6,094	1,940	159	2,44	0,92	0,90
V 971/9 FL	K5354-F	971,55	9,525	3,032	102	3,25	1,90	1,40
V 978/9 F	K5486-F	978,04	9,980	3,177	98	3,50	2,50	0,00
V 990/9 FL	K5185-F	990,60	9,525	3,032	104	3,10	2,20	1,65
V 1000/9 FL	K5202-F	1000,13	9,525	3,032	105	3,10	2,20	1,65
V 1003/2 F	K6219-F	1003,33	2,073	0,660	484	0,60	0,42	0,80
V 1010/10 F	K6156-F	1010,00	10,000	3,183	101	3,50	2,50	1,60
V 1023/9 K	K3399-K	1023,77	9,307	2,963	110	3,20	2,20	2,00
V 1023/9 F	K3765-F	1022,23	9,293	2,958	110	3,00	2,50	2,50
V 1027/9 F	K4259-F	1026,78	9,420	2,998	109	3,00	2,50	2,00
V 1028/9 FL	K5589-F	1028,70	9,525	3,032	108	3,10	1,90	1,65
V 1052/15 F	K6018-F	609,60	5,080	1,617	120	1,36	1,20	0,70
V 870/9 F	K3867-F	868,95	9,655	3,073	90	3,00	2,50	2,00
V 889/5 FXL	K5601-F	889,00	5,080	1,617	175	1,80	1,20	1,00
V 901/9 F	K3777-F	900,13	9,185	2,924	98	3,00	2,50	2,50
V 910/10 F	K6155-F	910,00	10,000	3,183	91	3,50	2,50	1,60
V 912/7 F	K3661-F	911,71	7,473	2,379	122	2,50	1,60	1,50
V 914/12 FH	K5692-F	914,40	12,700	4,043	72	4,30	2,20	1,85
V 939/9 F	K3878-F	939,13	9,583	3,050	98	3,20	1,80	1,50
V 969/6 F	K5063-F	968,95	6,094	1,940	159	2,44	0,92	0,90
V 971/9 FL	K5354-F	971,55	9,525	3,032	102	3,25	1,90	1,40
V 978/9 F	K5486-F	978,04	9,980	3,177	98	3,50	2,50	0,00
V 990/9 FL	K5185-F	990,60	9,525	3,032	104	3,10	2,20	1,65
V 1000/9 FL	K5202-F	1000,13	9,525	3,032	105	3,10	2,20	1,65
V 1003/2 F	K6219-F	1003,33	2,073	0,660	484	0,60	0,42	0,80
V 1010/10 F	K6156-F	1010,00	10,000	3,183	101	3,50	2,50	1,60
V 1023/9 K	K3399-K	1023,77	9,307	2,963	110	3,20	2,20	2,00
V 1023/9 F	K3765-F	1022,23	9,293	2,958	110	3,00	2,50	2,50
V 1027/9 F	K4259-F	1026,78	9,420	2,998	109	3,00	2,50	2,00
V 1028/9 FL	K5589-F	1028,70	9,525	3,032	108	3,10	1,90	1,65
V 1052/15 F	K6018-F	1052,44	15,708	5,000	67	5,00	1,70	3,00



POCOL CORREIAS E MANGUEIRAS LTDA.